

CATALOG

**Network
AP WiFi
Gateway
Switch
Accessories**

PRODUCT

Description

i-BECHAMP®

AP361

50086871



Settled AP, Wi-Fi 6, indoor, Dual Radio(2.4G/5GHz), 2*2/2*2 MU-MIMO, 1*GE Base-T, internal smart antennas



AP362

50085706



Settled AP, Wi-Fi 6, indoor, Dual Radio(2.4G/5GHz), 2*2/2*2 MU-MIMO, 1*GE Base-T, internal smart antennas, 2.975Gbps



AP661

02355VFC



AP661(11ax indoor, 2+2+4 tri bands, smart antenna, USB, BLE)



AP761

02355VFB



AP761(11ax outdoor, 2+4 dual bands, built-in antenna, BLE)



AP362E

50087148




Settled AP, Wi-Fi 6, indoor, Dual Radio(2.4G/5GHz), 2*2/2*2 MU-MIMO, 1*GE Base-T, internal smart antennas, 2.975Gbps



AP162E

50087150



AP162E Wireless Access Point AX3000 Ultra-Thin Dual-Band Wi-Fi 6 Wall Plate AP



AP263

50084981



Wall-plate AP, Wi-Fi 6, indoor, Dual Radio (2.4G/5GHz), 2*2/2*2 MU-MIMO, 1*GE Base-T, 1*GE Base-T, BLE, USB, internal smart antennas



AD-560062T0E

2221407



POE Adapter Power-AD-560062T0E-Desktop-35W-efficiency 85%

HW-120200U1W

02312WSY



AC-DC 24W/12V Adaptor(USA)


PRODUCT

Description



S110-16LP2SR

98012197



S110-16LP2SR (16*10/100/1000BASE-T ports, 2*GE SFP ports, PoE+, AC power)



S110-24LP2SR(124W)

98012198



S110-24LP2SR (24*10/100/1000BASE-T ports, 2*GE SFP ports, PoE+, AC power)



S110-24T2SR

98012196



S110-24T2SR (24*10/100/1000BASE-T ports, 2*GE SFP ports, AC power)



S220-24T4X

98012375



S220-24T4X (24*10/100/1000BASE-T ports, 4*10GE SFP+ ports, built-in AC power)



S220-24P4X(400W)

98012376



S220-24P4X (24*10/100/1000BASE-T ports(400W PoE+), 4*10GE SFP+ ports, built-in AC power)



S220-48T4X

98012377



S220-48T4X (48*10/100/1000BASE-T ports, 4*10GE SFP+ ports, built-in AC power)



S220-48T4S

98012380




S220-48T4S (48*10/100/1000BASE-T ports, 4*GE SFP ports, built-in AC power)



S220-48P4X(380W)

98012378




S220-48P4X (48*10/100/1000BASE-T ports(380W PoE+), 4*10GE SFP+ ports, built-in AC power)



S220-48P4S

98012379



S220-48P4S (48*10/100/1000BASE-T ports(380W PoE+), 4*GE SFP ports, built-in AC power)




PRODUCT

Description



S310-24P4S

98012381




24* GE Copper, 4* GE SFP PoE power: 400 W
Switching capacity: 56 Gbps Forwarding
performance: 42 Mpps



S310-24P4X(400W)

98012382




24* GE Copper, 4*10 GE SFP+ PoE power: 400 W
Switching capacity: 128 Gbps Forwarding
performance: 95 Mpps



S310-48P4S


98012383



48* GE Copper, 4* GE SFP PoE power: 380 W
Switching capacity: 104 Gbps Forwarding
performance: 77 Mpps



S310-48P4X



48* GE Copper, + 4*10 GE Optical Ports
PoE power: 380 W Switching capacity: 176 Gbps
Forwarding performance: 131 Mpps



S530-24ST4XE



24* GE Copper, 4* 10 GE SFP+ 2* 12 GE Stack ports
Switching capacity: 176 Gbps Forwarding
performance: 132 Mpps



S530-24T4XE




24* GE SFP (8 of which are GE Combo Ports);
4* 10 GE SFP+ 2* 12 GE Stack ports
Switching capacity: 176 Gbps Forwarding
performance: 132 Mpps



S310-24T4S

98012202



S310-24T4S (24*10/100/1000BASE-T ports,
4*GE SFP ports, AC power)



S310-48T4S

98012203



S310-48T4S (48*10/100/1000BASE-T ports,
4*GE SFP ports, AC power)



S380-S8P2T

98012180



2*GE WAN, 8*GE LAN(PoE+, 124W),
up to 350 users,forwarding performance 2 Gbit/s



PRODUCT

Description

i-BECHAMP®

AC650-256AP

02355NCH



10*GE ports, 2*10GE SFP+ ports,
built-in 256 license



AC650-128AP

02355NCG



10*GE ports, 2*10GE SFP+ ports,
built-in 128 license



S380-L4T1T

98012177



1*GE WAN, 4*GE LAN, up to 150 users,
forwarding performance 2Gbps



S380-L4P1T

98012178




1*GE WAN, 4*GE LAN(PoE+, 50W),
up to 150 users, forwarding performance 2Gbps



S380-S8T2T

98012179



2*GE WAN, 8*GE LAN, up to 250 users,
forwarding performance 2Gbps



S380-H8T3ST

98012181



2*GE WAN, 1*GE(SFP) WAN, 8*GE LAN,
up to 500 users, forwarding performance 2Gbps



AR730

02354GBM-001



2*GE combo WAN, 1*10GE(SFP+) WAN,
8*GE LAN, 1*GE combo LAN, 2*USB, 2*SIC,
up to 700 users, forwarding performance 4Gbps



AR720

02354GBG-001



2*GE combo WAN, 8*GE LAN, 2*USB, 2*SIC,
up to 1200 users, forwarding performance 6Gbps



S110-8P2ST(124W)

98012269



S110-8P2ST (8*10/100/1000BASE-T ports,
PoE+, 1*GE SFP port, 1*10/100/1000BASE-T port,
AC power, power adapter)

